L Number	Hits	Search Text	DB	Time stamp
-	9931	((captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or frame or screen or banner or advertisement or ads)).ab. and	USPAT; US-PGPUB; IBM_TDB	2003/11/11 15:06
-	73	(@ad<20010426) ((rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj (wind\$3 or play\$3 or display\$3 or show\$3))) and ((captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or frame or screen or banner or advertisement or ads))).ab. and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:50
-	4	((rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj (wind\$3 or play\$3 or display\$3 or show\$3))) and ((automatic\$5 or dynamic\$5) with (captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or frame or screen or banner or advertisement or ads))).ab. and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:51
_	493	((rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj (wind\$3 or play\$3 or display\$3 or show\$3))) with (browser or html or xml or page or web or message or frame or screen or banner or advertisement or ads)).ab. and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:52
	276	((automatic\$5 or dynamic\$5) with (captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or frame or screen or banner or advertisement or ads)) and ((rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj (wind\$3 or play\$3 or display\$3 or show\$3))) with (browser or html or xml or page or web or message or frame or screen or banner or advertisement or ads)) and	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:55
	143	(@ad<20010426) (internet or web or html or display\$3).ab. and ((automatic\$5 or dynamic\$5) with (captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or box or frame or screen or banner or advertisement or ads)) and ((playback\$3 or rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj (wind\$3 or play\$3 or display\$3 or show\$3))) with (browser or html or xml or page or web or message or frame or screen or banner or advertisement or ads)) and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:58
-	458	ļ , -	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:58
-	238	(snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))).ab. and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:59
-	19	<pre>((snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))) with (screen or frame or web or browser or advertisement or ads)).ab. and (@ad&lt;20010426)</pre>	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:59

-	36	(shoot\$3 or shot\$3))) and (screen or frame or web or browser or advertisement	USPAT; US-PGPUB; IBM_TDB	2003/05/15 13:00
	387	or ads)).ab. and (@ad<20010426) (((snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))) and (screen or frame or web or browser or advertisement or ads)) same (sav\$3 or store or storing)) and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/15 13:00
-	114	((((snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))) and (screen or frame or web or browser or advertisement or ads)) same (sav\$3 or store or storing)) and (@ad<20010426)) and (internet or web or html or display\$3).ab.	USPAT; US-PGPUB; IBM_TDB	2003/05/15 13:01
	573	(internet or web or html or display\$3).ab. and ((captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or box or frame or screen or banner or advertisement or ads)) and ((playback\$3 or rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj (wind\$3 or play\$3 or display\$3 or show\$3))) with (browser or html or xml or page or web or message or frame or screen or banner or advertisement or ads)) and (@ad<20010426) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls. or 345/\$.ccls.)	USPAT; US-PGPUB; IBM_TDB	2003/05/15
_	25	((((snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))) and (screen or frame or web or browser or advertisement or ads)) same (sav\$3 or store or storing)) and (@ad<20010426)) and (internet or web or html or display\$3).ab. and ((playback\$3 or rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj (wind\$3 or play\$3 or display\$3 or show\$3))) with (browser or html or xml or page or web or message or frame or screen or banner or advertisement or ads))	USPAT; US-PGPUB; IBM_TDB	2003/05/15 13:04
-	1	· ·	USPAT; US-PGPUB; IBM_TDB	2003/05/17 00:41
-	1	((captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or frame or screen or banner or advertisement or ads)).ab. and (@ad<20010426) and (autosav\$3 or (autoadj sav\$3))	USPAT; US-PGPUB; IBM_TDB	2003/05/16 14:56
-	27	1	USPAT; US-PGPUB; IBM_TDB	2003/05/16 17:06
-	359		USPAT; US-PGPUB; IBM_TDB	2003/05/16 17:11

-	1132	((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (time or rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)	USPAT; US-PGPUB; IBM_TDB	2003/05/16 18:21
_	82	(((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined) with (rate or time or frequen\$3 or period\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 707/\$.ccls. or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (time or rate or frequenc\$3)) and (@ad<20010426) and	USPAT; US-PGPUB; IBM_TDB	2003/05/16 15:15
_	96	(345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 715/\$.ccls.) (powerpoint with presentation) and	USPAT;	2003/05/16
	36	(@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)	US-PGPUB; IBM_TDB	19:04
-	34	((powerpoint with presentation) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and rate	USPAT; US-PGPUB; IBM_TDB	2003/05/16 15:26
-	1	(((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined) with (rate or time or frequen\$3 or period\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and (powerpoint with presentation)	USPAT; US-PGPUB; IBM_TDB	2003/05/16 15:22
-	12	1 •	USPAT; US-PGPUB; IBM_TDB	2003/05/16 15:58
_	83	((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (user or client) with (configura\$5 or predetermined or defined) with (rate or time or frequen\$3 or period\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)	USPAT; US-PGPUB; IBM_TDB	2003/05/16
_	21		USPAT; US-PGPUB; IBM_TDB	2003/05/16 18:33
-	2	(powerpoint and presentation).ab. and (@ad<20010426)	USPAT; US-PGPUB; IBM TDB	2003/05/16 18:20

-	240	((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or	USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04
	6	715/\$.ccls.) ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or	USPAT; US-PGPUB; IBM_TDB	2003/05/16 18:36
_	111	715/\$.ccls.) and (network or online).ab. ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (period or ((time or period\$3) with interval))) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or	USPAT; US-PGPUB; IBM_TDB	2003/05/16 18:53
-	23	715/\$.ccls.) and (network or online).ab. ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.	USPAT; US-PGPUB; IBM_TDB	2003/05/16 20:06
-	3	((captur\$3 or sav\$3 or store or storing or record\$3) with (file or message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval) with rate) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or	USPAT; US-PGPUB; IBM_TDB	2003/05/16 20:04
-	58	online).ab.  ((captur\$3 or sav\$3 or store or storing or record\$3) with (file or message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.	USPAT; US-PGPUB; IBM_TDB	2003/05/16 20:44
	1159	I .	USPAT; US-PGPUB; IBM_TDB	2003/05/16 20:43
-	2	with determin\$3 with (change or modification)) and (@ad<20010426)	USPĀT; US-PGPUB; IBM_TDB	2003/05/16 21:34
-	11		USPAT; US-PGPUB; IBM_TDB	2003/05/16 21:11

-	254	((captur\$3 or sav\$3 or store or storing	USPAT;	2003/05/16
		or record\$3) with ((different or modified	US-PGPUB;	22:07
		or changed) near2 (file or message or	IBM_TDB	
		frame or screen or banner or		
ļ		advertisement or ads))) and		
		(@ad<20010426) and 707/\$.ccls. and		
		(captur\$3 or sav\$3 or store or storing or		
		record\$3).ab.		
-	1		USPAT;	2003/05/16
	]	or record\$3) with ((different or modified	US-PGPUB;	21:25
		or changed) near2 (file or message or	IBM_TDB	
		frame or screen or banner or		
		advertisement or ads))) and		
		(@ad<20010426) and 707/\$.ccls. and	•	
		(captur\$3 or sav\$3 or store or storing or		
		record\$3).ab.) and (DOM or (document adj		
		object adj model))		
-	27		USPAT;	2003/05/16
	1	with (change or modification or	US-PGPUB;	21:42
ł	1	trigger\$3)) and (document adj object adj	IBM_TDB	
	,	model) and (@ad<20010426)		2002/05/26
-	96		USPAT;	2003/05/16
		or record\$3) with ((different or modified	US-PGPUB;	22:12
I		or changed) near2 (file or message or	IBM_TDB	
,		frame or screen or banner or		
		advertisement or ads))) and		
		(@ad<20010426) and 707/\$.ccls. and		
		(captur\$3 or sav\$3 or store or storing or		
		record\$3).ab. and (determin\$3 with		
		(modified or chang\$3 or modification))	IICDAM.	2003/11/13
] =	'	5572643.pn. or 5708825.pn. or 5737619.pn.	USPAT; US-PGPUB;	20:43
1		or 5745360.pn. or 5761683.pn. or	IBM TDB	20.43
	216	6018748.pn. or 6021435.pn.	USPAT;	2003/11/11
-	316		US-PGPUB;	15:08
		render\$3) with (in adj succession)) and (@ad<20010426)	IBM TDB	15.00
	81	((stor\$3 or sav\$3 or sort\$3) with	USPAT;	2003/11/11
-	0.1	chronologic\$7) and ((display\$3 or	US-PGPUB;	15:13
		output\$3 or show\$3 or render\$3) with ((in	IBM TDB	
		adj succession) or (one near2 one) or	1211_122	
		continous\$5)) and (@ad<20010426)		
1_	176		USPAT;	2003/11/11
	1/0	chronologic\$7) and (captur\$3 with (file\$2	US-PGPUB;	16:18
		or object\$2 or data\$2 or record\$2 or	IBM TDB	
		image\$2 or picture\$2 or vedio\$2 or	1	
		multimedia)) and (@ad<20010426)		
-	1	(((stor\$3 or sav\$3 or sort\$3) with	USPAT;	2003/11/11
	1	chronologic\$7) same (easy or fast)) and	US-PGPUB;	18:21
	1	(captur\$3 with (file\$2 or object\$2 or	IBM_TDB	
	1	data\$2 or record\$2 or image\$2 or	-	
		picture\$2 or vedio\$2 or multimedia)) and	1	
		(@ad<20010426)		
-	321	((display\$3 or output\$3 or show\$3 or	USPAT;	2003/11/11
	1.	play\$3 or render\$3) with ((in adj	US-PGPUB;	17:26
		succession) or ((one near2 one) with	IBM_TDB	
		continous\$5))) and (@ad<20010426)		l
-	19		USPAT;	2003/11/11
		play\$3 or render\$3) with (music or	US-PGPUB;	17:30
		multimedia\$3 or image\$2 or file\$2) with	IBM_TDB	
		((in adj succession) or ((one near2 one)		1
	1	with continous\$5))) and (@ad<20010426)		2002/11/11
-	486		USPAT;	2003/11/11
		play\$3 or render\$3) with (music or	US-PGPUB;	17:31
		multimedia\$3 or image\$2 or file\$2) with	IBM_TDB	
		((in adj succession) or ((one near2 one)	•	
		with continous\$5) or forward)) and		Į.
		(captur\$3 with (file\$2 or object\$2 or		
}		data\$2 or record\$2 or image\$2 or picture\$2 or vedio\$2 or multimedia)) and	1	
1				
	L	(@ad<20010426)	<u> </u>	<u> </u>

1	(((stor\$3 or sav\$3 or sort\$3) with	USPAT;	2003/11/11
	chronologic\$7) same (easy or fast)) and	US-PGPUB;	21:39
	(captur\$3 with (file\$2 or object\$2 or	IBM_TDB	
	data\$2 or record\$2 or image\$2 or	_	
;	picture\$2 or vedio\$2 or multimedia)) and		
·	(@ad<20010426) and ((stor\$3 or sav\$3 or		
	sort\$3) with order)		
7	5572643.pn. or 5708825.pn. or 5737619.pn.	USPAT;	2003/11/12
	or 5745360.pn. or 5761683.pn. or	US-PGPUB;	13:07
	6018748.pn. or 6021435.pn.	IBM TDB	1
191	(document adj object adj model) and	USPAT;	2003/11/12
	(@ad<20010426)	US-PGPUB;	13:11
		IBM TDB	
0	((document adj object adj model) with	USPAT;	2003/11/12
	(detect\$3 or identif\$5 or determin\$3 or	US-PGPUB;	13:11
	find\$3) with (change or modif\$9)) and	IBM TDB	
	(@ad<20010426)	_	}
268	((display\$3 or output\$5 or view\$3 or	USPAT;	2003/11/13
	review\$3 or replay\$3 or play\$3 or	US-PGPUB;	21:44
	rewind\$3) with (user or client) with	IBM TDB	
	(predetermin\$3 or set\$4 or configura\$7)	_	
	with (rate or speed)) and ((captur\$3 or		
	(screen\$7 or image\$2 or banner\$2 or		1
	(@ad<20010426)		
		chronologic\$7) same (easy or fast)) and (captur\$3 with (file\$2 or object\$2 or data\$2 or record\$2 or image\$2 or picture\$2 or vedio\$2 or multimedia)) and (@ad<20010426) and ((stor\$3 or sav\$3 or sort\$3) with order)  7 5572643.pn. or 5708825.pn. or 5737619.pn. or 5745360.pn. or 5761683.pn. or 6018748.pn. or 6021435.pn.  (document adj object adj model) and (@ad<20010426)  0 ((document adj object adj model) with (detect\$3 or identif\$5 or determin\$3 or find\$3) with (change or modif\$9)) and (@ad<20010426)  268 ((display\$3 or output\$5 or view\$3 or review\$3 or replay\$3 or play\$3 or rewind\$3) with (user or client) with (predetermin\$3 or set\$4 or configura\$7) with (rate or speed)) and ((captur\$3 or record\$3 or track\$3 or trap\$5) with (screen\$7 or image\$2 or banner\$2 or advertisement\$2 or ads or web\$5)) and	chronologic\$7) same (easy or fast)) and (captur\$3 with (file\$2 or object\$2 or data\$2 or record\$2 or image\$2 or picture\$2 or vedio\$2 or multimedia)) and (@ad<20010426) and ((stor\$3 or sav\$3 or sort\$3) with order)  7 5572643.pn. or 5708825.pn. or 5737619.pn. or 5745360.pn. or 5761683.pn. or 6018748.pn. or 6021435.pn. (document adj object adj model) and (@ad<20010426)  0 ((document adj object adj model) with (detect\$3 or identif\$5 or determin\$3 or find\$3) with (change or modif\$9)) and (@ad<20010426)  268 ((display\$3 or output\$5 or view\$3 or review\$3 or replay\$3 or play\$3 or rewind\$3) with (user or client) with (predetermin\$3 or set\$4 or configura\$7) with (rate or speed)) and ((captur\$3 or record\$3 or track\$3 or trap\$5) with (screen\$7 or image\$2 or banner\$2 or advertisement\$2 or ads or web\$5)) and